

E-CATALOGUE

KLCN-H2D1T1214 SHOT BLASTING MACHINE FOR INVESTMENT CASTING SHELL REMOVAL

- SPECIAL FOR CASTING CASTING SHELL, INSULATION, CASTING SAND REMOVAL



KHOLEE BLASTING ENGINEERING CO., LTD

EXPERT IN BLASTING & PAINTING INDUSTRY | DALONG INDUSTRIAL PARK, DAFENG, YANCHENG, JIANGSU, CHINA 224125 | TEL: +86-515-8380 9688 | FAX: +86-515-8375 5498 | EMAIL: KHOLEEBLAST@GMAIL.COM | WEBSITE: WWW.KHOLEEBLASTING.COM | CARL CHEN | WHATSAPP/MOBILE: +86-139 1469 8671

CASTING SHELL REMOVAL SHOT BLASTING MACHINE

There are many methods of removing casting shell, insulation and sand from casting products including impact, water-jetting, shake, shot blasting etc. Shot blasting is a surface treatment process using high velocity metal abrasives to impact the surface of metal products, which can obtain excellent cleaning and surface preparation.

Shot Blasting Machine for casting shell removal includes shot blasting chamber, blast wheel (high velocity type), work-piece lifting system, screw conveyor, bucket elevator, magnetic separator, air wash separator, dust collector, Raymond mill breaker, vibrating Screen Separator & electrical control system.

Shot Blasting Used for Casting Shell Removal in investment casting, precision casting, sand casting, lost wax casting, lost foam casting

- Remove Sand from Casting
- Remove Casting Shell & Insulation from casting
- Prepare Surface for coating, cutting, maching etc

In general, shot blasting concentrates metal abrasive at high speed (80~110m/s) at the surface of casting thereby remove casting shell due to the metal abrasives strong impact.

System features & benefits by shot blasting for casting shell removal from Kholee Blast

- Shorten Work Process Flow: no need manual shell removal or shakeout
- Reduce Loss of Steel Shots
- Reduce Labor Cost for Cast Shell Removal
- Save Electrical Energy
- Reduce repair cost compared with traditional shot blast m/c
- Reduce blast cleaning time & improve productivity

 Save Operation Cost & improve production profits: compared with traditional work process flow, the Shot Blasting Machine from Kholee Blast special for casting shell removal will save operation cost. All cost related to new technology of blasting from Kholee Blast will be around USD100,000.00~ USD120,000.00 based on casting production 15tons/day. (When labor cost and material cost are different, the result will be different).



KHOLEE BLAST • YANCHENG DAFENG SANXING MACHINERY CO., LTD • Blasting & Painting Solutions

Dalong Industrial Park, Dafeng, Yancheng, Jiangsu, China • 221425 Tel: +86-139 1469 6211 • Fax: +86-515-83755498

© 2017 Kholeeblast - Doc.nr.KL1014Rev.A Oct 2021

Printed in Yancheng China

Email: kholeeblast@gmail.com • Web: www.kholeeblastpaint.com • The right is reserved to make changes at any time without notice

	MAX SIZE	Ф1,150× H1,350 MM					
SIZE OF BLASTING JOBS	MAX WEIGHT	1,000KG					
	SIZE	1,600×1,600×1,900MM					
	LEG HEIGHT	1,550MM					
BLASTING CHAMBER	THE WHOLE BLASTING CHAMBER IS MADE MN13 STEEL PLATE BENDING AN						
	WELDING TOGETHER, BLASTING HOT SPOT AREA IS PROTECTED BY CR						
	WEARING RESISTANCE PLATE LINER AGAIN, HARDNESS ≥65HRC.						
	INVESTMENT /						
TIME NEEDED	LOST WAX CASTING	10~15 MIN					
FOR CASTING SHELL REMOVAL	SAND CASTING	3~5 MIN					
	LOST FOAM CASTING	6~10 MIN					
AUTOMATIC	EQUIPPED WITH PN	EQUIPPED WITH PNEUMATIC CYLINDER					
ENTRY & EXIT DOOR	PROTECTED BY MN1	3 STEEL PLATE LINER					
	MODEL	KL-CN18					
BLASTING WHEEL	SHOT BLASTING CAPACITY	250 KG/MIN ×2					
- DIRECT COUPLING	POWER	15KW ×2					
	BLADE SERVICE LIFE	2 YEARS / 2000 WORKING HOURS					
	TRAIL TYPE	'Y' TRAIL					
'Y' TRAIL SPINNER HANGER	HOIST QUANTITY	2 PCS					
LIFTING SYSTEM	LOADING CAPACITY	1000 KG					
	SELF-ROTATING POWER	0.55KW					
VIBRATING CONVEYOR FOR BIG	DELIVERY CAPACITY	30 T/H					
SHELL SEPARATING	POWER	0.55KW ×2					
BUCKET ELEVATOR	LIFTING CAPACITY	30 T/H ×1					
- WITH CHECKING DEVICE	POWER	4 KW					
	SEPARATING CAPACITY	30 T/H					
	FUNCTION	SEPARATING SHELL POWDER AND					
ABRASIVE - SHELL SEPARATOR	FUNCTION	METAL ABRASIVE COMPLETELY					
MAGNETIC + AIR WASH TYPE	ROTARY MAGNETIC	2.2KW×2					
	AIR SPEED						
	IN AIR WASHING AREA	4~5 M/S					
	MODEL	KLCN-DC-96BF					
	BAG FILTER	Ф130 × 1500MM					
BAG FILTER DUST COLLECTOR	BAG FILTER QUANTITY	96 PCS					
- ONLINE PULSE JET CLEANING	AIR VOLUME	12,600 M ³ /HR					
	CENTRIFUGAL AIR FAN	11 KW					
VIBRATING CONVEYOR	POWER	0.55KW × 2					
FOR SEPARATING DIFFERENT		< 60 #					
SIZE OF POWDER	SHELL POWDER SIZE	30~60 #					

KHOLEE BLAST • YANCHENG DAFENG SANXING MACHINERY CO., LTD • Blasting & Painting Solutions

Dalong Industrial Park, Dafeng, Yancheng, Jiangsu, China • 221425 Tel: +86-139 1469 6211 • Fax: +86-515-83755498

© 2017 Kholeeblast - Doc.nr.KL1014Rev.A Oct 2021

Email: kholeeblast@gmail.com • Web: www.kholeeblastpaint.com • The right is reserved to make changes at any time without notice

Printed in Yancheng China

		16~30 #			
		>16 #			
	POWDER SHELL STORAGE	4 BOXES			
	QTY	1 SET			
	VOLTAGE/FREQUENCY	380V/50HZ/3PH			
ELECTRICAL CONTROL SYSTEM	OPERATION TYPE	AUTO + MANUAL CONTROL			
TOTAL POWER	~ 56	56KW			
OVERALL SIZE OF MACHINE	6500MM×6500MM×7500MM				

Note:

KHOLEE BLAST ALSO DESIGNS AND MANUFACTURES NON-STANDARD CASTING SHELL REMOVAL SHOT BLASTING _ MACHINE ACCORDING TO CLIENTS' REQUIREMENTS AND WORK-PIECES SIZE.


WE HAVE THE POLICY TO IMPROVE OUR EQUIPMENT CONTINUOUSLY & SHALL RESERVE THE RIGHTS TO CHANGE _ THE DIMENSIONS AND SPECS WITHOUT PRIOR NOTICE.

VIDEO OF SHOT BLASTING MACHINE FOR CASTING SHELL REMOVAL

HTTPS://WWW.YOUTUBE.COM/WATCH?V=JR2VTDT1ID4

HTTPS://WWW.YOUTUBE.COM/WATCH?V=GKIJVH0D66C

HTTPS://WWW.YOUTUBE.COM/WATCH?V=H7WH133_RJE



BEFORE BLASTING



AFTER BLASTING

KHOLEE BLAST • YANCHENG DAFENG SANXING MACHINERY CO., LTD • Blasting & Painting Solutions Dalong Industrial Park, Dafeng, Yancheng, Jiangsu, China • 221425 © 2017 Kholeeblast - Doc.nr.KL1014Rev.A Oct 2021 Tel: +86-139 1469 6211 • Fax: +86-515-83755498

Email: kholeeblast@gmail.com • Web: www.kholeeblastpaint.com • The right is reserved to make changes at any time without notice

Printed in Yancheng China



E-CATALOGUE


HIGH CARBON CASTING STEEL SHOT

MEATAL ABRASIVES FOR SHOT BLASTING MACHINE WORKING



KHOLEE BLAST - YANCHENG DAFENG SANXING MACHINERY CO., LTDEXPERT IN BLASTING & PAINTING INDUSTRY| DALONG INDUSTRIAL PARK, DAFENG, YANCHENG, JIANGSU, CHINA 224125| TEL: +86-515-8380 9688| FAX: +86-515-8375 5498| EMAIL: KHOLEEBLAST@GMAIL.COM| WEBSITE: WWW.KHOLEEBLASTPAINT.COM| CARL CHEN| WHATSAPP/MOBILE: +86-139 1469 8671

HT Abrasives, one of three companies in China have two quenching equipment, has the capacity to produce high quality steel shots and grits. KHOLEE BLAST, as a GOLDEN Distributor of HT metal abrasives in China, assists our clients in PEB manufacturing industry to select the right steel shots & grits and analyzing the working max and production process in order to maximize the efficiency. All our steel shots & grits are subject to a rigorous quality control to ensure supply the best available abrasives in its class.



 KHOLEE BLAST • YANCHENG DAFENG SANXING MACHINERY CO., LTD • Blasting & Painting Solutions

 Dalong Industrial Park, Dafeng, Yancheng, Jiangsu, China • 221425
 © 2017 Kholeeblast - Doc.nr.KL1014Rev.A Oct 2021

 Tel: +86-139 1469 6211 • Fax: +86-515-83755498
 Printed in Yancheng China

 Email: kholeeblast@gmail.com • Web: www.kholeeblastpaint.com
 • The right is reserved to make changes at any time without notice

Operative Standards:

In accordance with standards of GB/T18838.3—2008 Steel Shot and Steel Grit,SFSA20-66Cast Steel Abrasive, SAE J827 Cast Steel Shot YB/T5149-1993 Cast Steel Shot,ISO11124-3High Carbon Cast Steel Shot

Steel Shot	Application
S780/SS2.5 S660/SS2.0	Sand removal of large sized castings, scale removal of large sized products from forging, stamping, die forging, drawing and rolling or after heat treatment (e.g. pipes, sections, plates, fittings, wire).
S550/SS1.7 S460/SS1.4	Sand removal of large and medium sized castings, scale removal of forging and heat-treated work pieces, surface blast cleaning of steel plates, sections and steel structures, shot peening of work pieces, cutting of granite.
S390/SS1.2 S330/SS1.0	Sand removal of medium and small sized castings, surface blast cleaning of forgings, heat-treated pieces, steel pipes, sections and steel structures, surface treatment before painting, shot peening of work pieces.
S280/SS0.8 S230/SS0.6	Surface blast cleaning of small sized castings, forgings and heat-treated pieces, aluminium and copper alloy castings, steel plates, steel pipes, sections and steel structures, shot peening of work pieces.
S170/SS0.5 S110/SS0.3	Surface blast cleaning of stainless steel plates, thin steel plates, non -ferrous alloys, dacromet coat.

Application Equipment

• Shot Blasting Machine (Auto Wheel Blasting Machine)

Steel Plate Shot Blasting Machine | Steel Structure Shot Blasting Machine | Steel Pipe Shot Blasting Machine | Hanger Type Shot Blasting Machine | Turntable Shot Blasting Machine | Tumble Belt Shot Blasting Machine | Overhead Conveyor Shot Blasting Machine | Steel Cylinder Shot Blasting Machine | Trolley Type Shot Blasting Machine | Wire Mesh Shot Blasting Machine etc.

- Blasting Room
- Sand Blasting Machine, Blasting Pot
- Shot Peening Machine

	Specifi	cation of High	Quality Steel S	hots				
Item	С	Si	Mn		S	Р		
HQ Steel Shots	0.85-1.20%	0.40-1.20%	0.60-1.209	6	<0.05%	<0.05%		
Hardness	40 ~ 50HRC 52 ~ 56HRC 56 ~ 60HRC, Max Deviation ±3.0 HR							
Density		7.4 g/cm ³ 4.4 g/cm ³						
Bulk Density								
Ervin Cycle Times			2800~3300) times				
Micro-Structure		Homoge	eneous Tempered	Martensite o	or Troostite			
Color			Dark Bl	ack				
Size of HQ Steel Shots		STRO S	80 5550	5460	COEC			

				Dist	ribution	of High C	Quality St	eel Shots	5			
Mesh		Specification of Steel Shot mm										
	mm	SS-2.5	SS-2.0	SS-1.7	SS-1.4	SS-1.2	SS-1.0	SS-0.8	SS-0.6	SS-0.5	SS-0.3	SS-0.2
7	2.80	all pass										
8	2.36		all pass									
10	2.00	85%min		all pass	all pass							
12	1.70	97%min	85%min		5%max	all pass						
14	1.40		97%min	85%min		5%max	all pass					
16	1.18			97%min	85%min		5%max	all pass				
18	1.00				96%min	85%min		5%max	all pass			
20	0.850					96%min	85%min		10%max	all pass		
25	0.710						96%min	85%min		10%max		
30	0.600							96%min	85%min		all pass	
35	0.500								97%min	85%min	10%max	
40	0.425									97%min		all pass
45	0.355										80%min	10%max
50	0.300										90%min	
80	0.180											80%min
120	0.125											90%min
200	0.075											
325	0.045											
SA	٩E	S-780	S-660	S-550	S-460	S-390	S-330	S-280	S-230	S-170	S-110	S-70

Packaging

• 25kgs /bag, 40 bags in big bag or 80 bags in big bag • 1000 kgs in big bag

KHOLEE BLAST • YANCHENG DAFENG SANXING MACHINERY CO., LTD • Blasting & Painting Solutions

Dalong Industrial Park, Dafeng, Yancheng, Jiangsu, China • 221425

© 2017 Kholeeblast - Doc.nr.KL1014Rev.A Oct 2021

Printed in Yancheng China

Tel: +86-139 1469 6211 • Fax: +86-515-83755498

Email: kholeeblast@gmail.com • Web: www.kholeeblastpaint.com • The right is reserved to make changes at any time without notice